

Inspired by your needs. Crafted for your lifestyle.



ABOUT POLAR

The world is moving faster every day, and balancing a busy lifestyle with a peaceful home is more challenging than ever.

Polar understands the need for a dependable helping hand that brings comfort, ease, and efficiency to everyday life. This is what sets us apart and keeps us close to our consumers.

For over five decades, Polar has led the way by never compromising on quality and by continuously investing in research and innovation to keep pace with changing times.

Our wide range of products, including water heaters, room heaters, immersion rods, irons, juicers, mixer grinders, and kitchen appliances, are designed to help you create a home that keeps up with your ambitions.

POLAR





A COSY BATHING EXPERIENCE






Storage Water Heater (Available in 10, 15 & 25 litres)

- Glass-coated incoloy heating element offers resistance to hardwater & corrosion
- Titanium enamel & blue sapphire coated glass lined tank ideal for hard water conditions & high-rise buildings
- Suitable for high-rise buildings with 8 bar pressure design
- Magnesium anode rod with O-pro technology extends heating element and tank life
- · Anti-corrosive PCM sheet for durable outer body
- High precision capillary thermostat with adjustable temperature control
- · High-density PUF insulation
- · Whirlflow technology heats water quickly
- · Adjustable temperature control
- · Superior single-welded line tank
- Pentashield safety (Thermal cut-out/multi-function valve/capillary thermostat/dry heat protection/magnesium anode rod)
- · LED power indicator









'Terms & Conditions Apply







8 Bar Pressure Design



PUF Insulation





Pentashield Safety



Anti Corrosive PCM Sheet Outer Body



Adjustable Temperature Control



Rated Power 2000 W







Storage Water Heater (Available in 10, 15 & 25 litres)

- 8 bar pressure design suitable for high-rise buildings
- · Nickel coated copper heating element
- · Anti-corrosion magnesium rod
- Pentashield safety (thermal cut-out/multi-function valve/capillary thermostat/dry heat protection/magnesium anode rod)
- · Whirlflow technology heats water quickly
- Smart LED indicator
- Shock & corrosion proof ABS body
- Adjustable temperature control with high-precision capillary thermostat
- High-density PUF insulation keeps the water hot for a long time







*Terms & Conditions Apply





Nickel Coated Copper Heating . Element



Anti-corrosion Magnesium Rod



Pentashield Safety



Whirlflow Technology



Smart LED Indicator



Superior Anti-corrosive Coated 8 Bar Tank



High-density PUF Insulation



Rated Power 2000 W





Storage Water Heater (Available in 10, 15 & 25 litres)

- 8 bar pressure design suitable for high-rise buildings
- Anti-corrosive PCM sheet for durable outer body
- Whirlflow technology heats water quickly
- High-density PUF insulation keeps the water hot for a long time
- Magnesium anode rod with O-pro technology enhances the life of the tank
- High efficiency copper heating element
- Adjustable temperature control with high precision capillary thermostat
- · LED power indicator
- Pentashield safety (thermal cut-out/multi-function valve/capillary thermostat/dry heat protection/magnesium anode rod)









Adjustable Temperature Control







High-density PUF Insulation





Pentashield Safety



Anti-corrosive PCM Sheet Outer Body



Superior Anti-corrosive Coated 8 Bar Tank




Rated Power 2000 W



'Terms & Conditions Apply





- · Anti-corrosive PCM sheet for durable outer body
- · Whirlflow technology heats water quickly
- High-density PUF insulation keeps the water hot for a long time
- Magnesium anode rod with O-pro technology enhances the life of the tank
- High efficiency copper heating element
- Pentashield safety (thermal cut-out/multi-function valve/ thermostat/dry heat protection/magnesium anode rod)
- · LED power indicator

























- Designed for 6.5 bar pressure
- Powder coated corrosion-resistant metal body
- Unique safety features pressure release valve, fusible plug, and anti-siphon hole
- · High-efficiency copper heating element
- Magnesium anode rod
- · Power indicator











6.5 Bar Pressure Design



Powder Coated Corrosion-resistant Metal Body



High-efficiency Copper Heating Element





2000 W



*2 star for 35 & 50 litres & 3 star for 6, 10, 15, 25 litres



- Design for 6.5 bar pressure
- Shock-proof & corrosion-resistant body
- Superior 304L grade SS tank with 1.0 mm (for 5.5 litres) thickness for durability
- High pressure tank
- · Neon power indicator
- Heavy duty high-grade nickel coated heating element
- · Energy efficient
- Unique safety features pressure release valve & anti-siphon hole



** 5 years on inner tank & 2 years on product



Designed for 6.5 Bar Pressure



Shock-proof Corrosion-resistant and Rust-free Body



Superior 304 Grade SS Tank



Sleek & Elegant Design



Heavy Duty High-grade Nickel Coated Heating Element



Indicator



Rated Power 3000/4500 W



ISI Mark



- Shock-proof, corrosion-resistant and rust-free body
- Superior 304L grade SS tank for durability
- Sleek & elegant design ideal for modern bathrooms and kitchens
- 3 kw heavy-duty nickel coated heating element
- Pressure release valve
- Designed for 6.5 bar pressure
- · Neon power indicator



** 5 years on inner tank & 2 years on product



Designed for 6.5 Bar Pressure



Shock-proof Corrosion-resistant and Rust-free Body



Superior 304 Grade SS Tank



Sleek & Elegant Design



Heavy Duty Nickel Coated Heating Element



Pressure Release Valve



Indicator



Rated Power 3000 W







Gas Water Heater

- 4X protection (flame failure protection /dry burn protection/ overheat protection/dry heat protection)
- · Low-pressure application
- · Automatic ignition
- 20 minutes inbuilt timer











Ignition







- High efficiency nickel coated heating element
- Shock-proof (for shock-proof model)/heat-proof IPX7 handle & body
- · Heavy-duty tube filled with magnesium oxide for durability
- · Corrosion proof
- · ISI marked 3-pin moulded plug
- · Handle with a firm grip for easy maneuvering
- Available in 1000 W/1350 W/1500 W





High Efficiency Nickel Coated Heating Element



Shock-proof (for Shock-proof Model)/ Heat-proof IPX7 Handle & Body



Heavy-duty Tube Filled with Magnesium Oxide for Durability





ISI Marked 3-pin Moulded Plug



Handle with a Firm Grip for Easy Maneuvering




Rated Power 1000 W/1350 W/1500 W



ISI Mark





- Very elegant look with a wide base
- Wider angle oscillation
- · Cool touch body
- · Safety tip-over switch
- 3 heat settings 400 W/800 W/1200 W
- · Ideal for quick and focused heating



























- · Safety tip over switch
- · Slim & sleek design
- Dual heating power settings

















VISTRON



Heat Convector Room Heater















- Modern & sleek design
- Dual heating settings 1000 W/2000 W for personal preference
- Sturdy body
- Night lamp indicator
- Twin turbo fans for quick and uniform heating

















- Anti-corrosion powder coated body
- Nickel chrome plated protective guard
- Rust-free stainless steel reflector





- Two heat settings 1000 W/2000 W for personal preference
- Adjustable temperature control
- Cool airflow for summer use
- Portable design
- · Childproof grille
- Heat-resistant & shock-proof plastic body
- Power indicator





Dual Heat Position for Better Heating



Thermostat Heat Control





Childproof Grille



Cool Touch Body



Heat-resistant Shock-proof Engineered Plastic Body



Rated Power 1000W/2000W









- 3-speed control with pulser incher
- 30-minutes rating (5 minutes ON & 2 minutes OFF)
- Powerful performance with 100% copper motor
- Auto shut-off with overload protector
- Transparent polycarbonate blending jars & stainless steel jars with dome & cap
- Genuine food grade jars & shock-proof ABS body
- High-grade stainless steel multipurpose blades
- Skid-resistant vacuum legs
- Transparent liquidising jar (1.50 litres), dry grinding jar (1.0 litre), chutney grinding jar (0.4 litre)
- Speed 15000 RPM



** 5 years on the motor & 2 years on product



Powerful
Performance with
100% Copper Motor



Auto Shut-off with Overlaod Protector



3-speed Control with Incher



Skid-resistant Vacuum Legs





Genuine Food Grade Jars & Shock-proof ABS Body



Transparent Polycarbonate Blending Jars & SS Jars



High-grade SS Multipurpose Blades





- Powerful 100% copper motor
- 3-speed control with incher for momentary operation
- 30-minutes rating (5 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- Multipurpose blades
- Shock-proof ABS body with anti-dust coating
- Food grade stainless steel jars and PC dome with secured locks
- Skid-resistant
- Liquidising jar 1.50 litres, dry grinding jar 1.0 litre, chutney grinding jar 0.40 litre
- Speed 19000 RPM



** 5 years on the motor & 2 years on product



Powerful
Performance with
100% Copper Motor



Auto Shut-off with Overland Protector





Shock-proof ABS Body



3-speed Control with Incher



Skid-resistant Vacuum Legs



Food Grade Stainless Steel Jar with Secured Locks



High-grade SS Multipurpose Blades



Rated Power 750 W





- Powerful universal motor
- 3-speed control with incher for momentary operation
- 30-minutes rating (5 minutes ON & 2 minutes OFF)
- · Auto shut-off with overload protector
- Stainless steel multipurpose blades
- Shock-proof ABS body
- Food grade stainless steel jars with PC dome & liquidising jar with secured lock
- · Skid-resistant
- · Easy cleaning
- Liquidising jar 1.50 litres, dry grinding jar 1.0 litre, chutney grinding jar 0.40 litre
- Speed 19000 RPM



** 5 years on the motor & 2 years on product





Shock-proof ABS Body







Overland Protector



Rating

Advance Air Ventilation



High-grade SS Multipurpose Blades



3-speed Contro with Incher



Rated Powe 750 W





- Powerful universal motor
- 3-speed control with incher for momentary operation
- 30-minutes rating (5 minutes ON & 2 minutes OFF)
- · Auto shut-off with overload protector
- · Multipurpose blades
- · Shock-proof ABS body
- · Genuine food grade stainless steel jars with PP lid
- Skid-resistant
- · Easy cleaning
- Liquidising jar 1.25 litres, dry grinding jar 0.8 litre, chutney grinding jar 0.4 litre
- Speed 19000 RPM



** 5 years on the motor & 2 years on product





Shock-proof ABS Body



Genuine Food Grade Stainless Steel Jars with PP Lid



Auto Shut-off with Overland Protector





3-speed Control

3-speed Control with Incher



High-grade SS Multipurpose Blades



Rated Power 500 W





- · Powerful universal motor
- 3-speed control with incher for momentary operation
- 30-minutes rating (5 minutes ON & 2 minutes OFF)
- · Auto shut-off with overload protector
- · Stainless steel multipurpose blades
- Shock-proof ABS body and food grade stainless steel jars with PC lid
- · Skid-resistant
- · Easy cleaning
- · Advanced air ventilation system
- Liquidising jar 1.25 litres, dry grinding jar 0.8 litre, chutney grinding jar 0.4 litre
- Speed 19000 RPM



** 5 years on the motor & 2 years on product



Universal Motor



Shock-proof ABS Body



Genuine Food Grade Stainless Steel Jars with PC Lid



Auto Shut-off with Overland Protector



30 Minutes Rating



Ventilation



3-speed Control with Incher



High-grade SS Multipurpose Blades



Rated Power 500 W



ISI Mark



- High-speed universal motor
- 3-speed control with incher for momentary operation
- 30-minutes rating (5 minutes ON & 2 minutes OFF)
- · Auto shut-off with overload protector
- · Stainless steel multipurpose blades
- Shock-proof ABS body and food grade stainless steel jars with PP lid
- Skid-resistant
- · Easy cleaning
- · Advanced air ventilation system
- Liquidising jar 1.25 litres, dry grinding jar 0.8 litre, chutney grinding jar 0.4 litre
- Speed 19000 RPM







Shock-proof ABS Body



Food Grade Stainless Steel Jars with PP Lid



Auto Shut-off with Overland Protector



Rating



3-speed Control with Incher



High-grade SS Multipurpose Blades





Rated Power 500 W





- 3-speed control with incher for momentary operation
- High-speed universal motor
- 30-minutes rating (5 mins ON & 2 mins OFF, rest time 45 mins)
- Shock-proof ABS body
- Auto shut-off with overload protector
- Multipurpose stainless steel blades
- Food grade stainless steel jars with PP lid
- · Advanced air ventilation system
- · Skid-resistant
- · Easy cleaning
- Liquidising jar 1.20 litres, dry grinding jar 0.8 litre, chutney grinding jar 0.4 litre
- Speed 19000 RPM





Shock-proof ABS Body



Auto Shut-off with Overland Protector





Ventilation



3-speed Control with Incher



Food Grade Stainless Steel Jars with PP Lid



High-grade SS Multipurpose Blades









- High-speed universal motor
- Auto shut-off with overload protector
- 30-minutes rating (5 minutes ON & 2 minutes OFF)
- · Shock-proof ABS body
- Anti-skid vacuum feet
- · Multipurpose stainless steel blades
- Food grade stainless steel jars
- 3-speed control with incher for momentary operation
- · Advanced air ventilation system
- Liquidising jar 1.20 litres, dry grinding jar 0.8 litre, chutney grinding jar 0.4 litre
- Speed 19000 RPM



** 5 years on the motor & 2 years on product





Shock-proof ABS Body



Food Grade Stainless Steel Jars with PP Lid



Auto Shut-off with Overland Protector





Advanced Air Ventilation



High-grade SS Multipurpose Blades



3-speed Control with Incher



Rated Power 500 W







- Powerful Universal Motor with overload protector for safety
- 3-speed control with incher for momentary operation
- 30-minutes rating (5 minutes ON & 2 minutes OFF)
- Durable stainless steel juicer mesh
- Food grade jars & shock-proof ABS Body
- Skid resistance
- Easy cleaning
- Stainless steel blades (SS 304)
- Transparent liquidising jar (1.50 litres)
- Stainless steel grinding jar (0.8 litre)



Genuine Food Grade Jars & Shock-proof ABS Body



Powerful Universal Motor with Overload Protector for Safety



3-speed Control with Incher for Momentary Operation



30 Minutes Rating Max (5 Minutes ON & 2 Minutes OFF)



High-grade SS Multipurpose Blades (SS 304)



Easy Cleaning





Rated Power 500 W









- 4x safety (snap-action thermostat, thermal fuse, copper wire with fire retardant cotton viscose cord, shock-proof engineering plastic body)
- Ergonomic grip
- 360° swivel cord
- Bimetallic thermostat for automatic temperature control with indicator
- · Cool touch handle with comfortable grip
- Super clean surface finish with pleasant aesthetics
- · Ideal for heavy-duty pressing
- Multiple temperature settings for different fabric
- Non-stick PTFE coated sole plate
- · Heavy weight iron















YEARS REPLACEMENT
WARRANTY



- 4x safety (snap-action thermostat, thermal fuse, copper wire with fire retardant cotton viscose cord, shock-proof engineering plastic body)
- Ergonomic grip
- 360° swivel cord
- Bimetallic thermostat for automatic temperature control with indicator
- Cool touch handle with comfortable grip
- Super clean surface finish with pleasant aesthetics
- · Ideal for heavy-duty pressing
- Multiple temperature settings for different fabric
- · Non-stick PTFE coated sole plate
- · Heavy weight iron





















- Triple convenience (instant heating, ergonomic grip, 360° swivel cord)
- Non-stick PTFE coated sole plate
- Heavy-duty lightweight metal body
- Bimetallic thermostat for automatic temperature control with indicator
- · Cool touch handle with comfortable grip
- Super clean surface finish with pleasant aesthetics & tangle-free cord
- Variable temperature settings for different fabrics



Triple Safety





Non-stick PTFE Coated Sole Plate



Temperature Control







ISI Mark

2 YEARS REPLACEMENT WARRANTY



- 4x safety (snap-action thermostat, thermal fuse, copper wire with fire retardant cotton viscose cord, shock-proof engineering plastic body)
- 4x convenience (instant heating, lightweight, cool touch body, ergonomic grip)
- Ergonomic design with bi-colour combo
- Instant heating & powerful performance
- Bimetallic thermostat for automatic temperature control with indicator
- Reliable snap-action thermostat
- Multiple temperature settings for different fabrics
- · Ultra lightweight cool touch body
- Non-stick PTFE coated sole plate



4x Safety





Non-stick PTFE Coated Sole Plate



Cord



Temperature Control



Ergonomic Design with Bi-colour Combo



Rated Power 1000 W





- 4x safety (snap-action thermostat, thermal fuse, copper wire with fire retardant cotton viscose cord, shock-proof engineering plastic body)
- 4x convenience (instant heating, lightweight, cool touch body, ergonomic grip)
- · Ergonomic design with bi-colour combo
- Instant heating & powerful performance
- Bimetallic thermostat for automatic temperature control with indicator
- · Reliable snap-action thermostat
- Multiple temperature settings for different fabrics
- · Ultra lightweight cool touch body
- · Non-stick PTFE coated sole plate



4x Safety





Non-stick PTFE Coated Sole Plate



Variable Temperature Control




Ergonomic Design with Bi-colour Combo





YEARS REPLACEMENT WARRANTY





- 4x convenience (instant heating, lightweight, cool touch body, ergonomic grip)
- Ergonomic design with bi-colour combo
- Instant heating & powerful performance
- Bimetallic thermostat for automatic temperature control with indicator
- Reliable snap-action thermostat
- Multiple temperature settings for different fabrics
- Ultra lightweight cool touch body
- Non-stick PTFE coated sole plate



4x Safety





Non-stick PTFE Coated Sole Plate



Variable Temperature Control




Ergonomic Design with Bi-colour Combo









Galaxy 1.8 SS



- Stylish design
- · Corrosion proof stainless steel body
- · Auto cut-off function
- 360° cordless operation
- · Cord storage facility



Capacity 1.8 litres



Auto Shut-off



360° Cordless Operation



High-grade Stainless Steel Body



Cord Storage Facility



No

Rated Power 1500 W



YEAR
WARRANTY

Galaxy 1.5 SS



- Stylish design
- · Corrosion proof stainless steel body
- · Auto cut-off function
- 360° cordless operation
- · Cord storage facility



Capacity 1.5 litres



Auto Shut-off



360° Cordless Operation



High-grade Stainless Steel Body



Cord Storage Facility






Rated Power 1500 W



YEAR WARRANTY



000



EXCEPTIONAL MEALS, EFFORTLESSLY



CM 11



Induction Cooker





Overheat Protection

Push Button Control

High Temperature Resistant Glass Top



Safety Lock





Automatic Voltage Regulator





- LED digital display
- · Automatic voltage regulator
- · Quick heating
- 7 preset menu
- Multiple heat settings
- High temperature resistant glass top
- · Child safety lock
- Auto safety shut-off





- Digital timer control
- 8 preset menu
- · Full polished glass top
- Overheat protection
- · Automatic safety shut-off
- Automatic voltage regulator
- Variable power control
- · Touch button control
- · Eco-friendly



8 Preset Function



Fully Polished Glass Top



High Temperature Resistant Glass Top





Protection





Automatic Voltage Regulator









SC 01



- · 4 preset functions
- 4-digit bright LED display
- Sturdy stainless steel body & handle
- · Versatile cooking solution
- · Overheat protection
- · Extra wide cooking surface
- Easy to clean
- High-temperature resisting crystal plate
- Temperature control knob







4 Preset Function



Overheat Protection









Clean



Feather Touch Control





Rated Power 2000 W





- 4 preset functions
- 4-digit bright LED display
- · Overheat protection
- High temperature resisting crystal plate
- Sturdy stainless steel body & handle
- Overheat protection
- Extra wide cooking surface
- · Heats all kinds of flat utensils
- Feather touch control





4 Preset Function



Overheat Protection





Temperature Control Knob



Easy to Clean



Sturdy SS Body & Handle



Versatile Cooking Solution





Rated Power 2000 W



ISI Mark



SC 03



- · 4 preset functions
- 4-digit bright LED display
- · Overheat protection
- · High temperature resisting crystal plate
- Sturdy stainless steel body & handle
- · Overheat protection
- Extra wide cooking surface
- Heats all kinds of flat utensils
- Temperature control knob
- Easy to clean









Overheat Protection





Crystal Plate



Feather Touch Control



Sturdy SS Body & Handle











KEEP THE CRUNCH SEALED



- Non-stick heating plate for oil free toasting
- Powerful performance for faster heating
- Heat-resistant bakelite body for cool touch operation
- · Overheat protection with thermal fuse
- Broad hand lock for easy & comfortable locking
- Dual LED indicators for easy & convenient usage
- Base support for better stability & prevention from skidding



















INSTALLATION DIAGRAM WATER HEATER


Aquahot



Lava



Lava+



Mounting Dimensions


Model	Capacity	Mounting	Mounting dimensions in mm			
			Α	В	С	D
Aquahot	6 Itrs.	Vertical	195	130	325	255
	10 Itrs.	Vertical	195	175	375	255
	15 Itrs.	Vertical	215	215	405	305
	25 Itrs.	Vertical	215	220	450	355
	35 Itrs.	Vertical	285	260	500	380
	50 Itrs.	Vertical	290	385	620	420

Mounting Dimensions


Model	Capacity	Mounting	Mountir	Mounting dimensions in mm		
			Α	В	С	
Lava+	10 Itrs.	Vertical	80	165	333	
	15 Itrs.	Vertical	156	165	433	
	25 Itrs.	Vertical	122	165	496	
Lava	10 Itrs.	Vertical	80	165	333	
	15 Itrs.	Vertical	156	165	433	
	25 Itrs.	Vertical	122	165	496	

INSTALLATION DIAGRAM WATER HEATER


Cozy





Refresha Pro 5L



Refresha Pro 3L








Mounting Dimensions

Model	Capacity	Mounting	Mounting dimensions in mm			
			Α	В	С	D
Cozy	3 Itrs.	Vertical	340	180	185	50
Refresha Pro	5 Itrs.	Vertical	435	245	230	90
Refresha Pro	3 Itrs.	Vertical	365	200	185	100

INSTALLATION DIAGRAM WATER HEATER



Mounting Dimensions

Model	Capacity	Mounting	Mounting dimensions in mm		
			Α	В	С
Gush+	10 Itrs.	Vertical	80	165	333
	15 ltrs.	Vertical	156	165	433
	25 Itrs.	Vertical	122	165	496

Mounting Dimensions

Model	Capacity	Mounting	Mounting dimensions in mm			
			Α	В	С	D
Hotwave	10 Itrs.	Vertical	398	353	356	126.2
	15 ltrs.	Vertical	418	398	384	120.6
	25 Itrs.	Vertical	500	474	420.6	121.9



Makes life easy

BRANCHES

SOUTH

Chennai | Madurai | Kochi | Bengaluru | Vijayawada | Hyderabad

EAST

Kolkata | Bhubaneswar | Guwahati | Patna | Ranchi

NORTH

Delhi NCR | Chandigarh | Jaipur | Kanpur | Ghaziabad | Dehradun | Varanasi

WEST & CENTRAL

Mumbai | Nagpur | Ahmedabad | Indore | Jabalpur | Raipur

POLAR ELEKTRIC LTD.

CIN: U28199WB2004PLC100818 Regd. Off.: Unit No. 8B & 8C, 8th Floor 23 Circus Avenue, Kolkata 700 017 West Bengal, India P: (033) 6629 1829

customercare@polarelektric.com info@polarelektric.com www.polarelektric.com ① PolarIndia



Note: At Polar, we follow a policy of continuous improvement. As a result of ongoing product enhancements, the models featured in this catalogue may be subject to changes in features, performance, or design without prior notice.